



Way Out.

S

EMEMBER YOUR FIRST SLED RIDE? YOU WÊRÊ PROBABLY KNÎE HIGH

INNOCENT, AND CURIOUS ABOUT THE WORLD, PLAY WAS YOUR OCCUPATIO

SO YOU TOOK OFF FROM THE TOP OF A SNOWWHILL AND SOARED INTO

WORLD OF ADVENTURE. YOU FELT THE EXHIDERION OF THE RIBE IN

EVERY INCH OF YOUR BONES. NOTHING, YOU SWORE WOULD EVER FEE

SO AMAZING, SO INTENSE, SO...FREE, AND NOW THAT BEELING'S BACK TI

SAME RUSH OF EXHILARATION. THE SAME CHILD HIRE WONDER THE SA

"DON'T-HAVE-A-CARE-IN-THE-WORLD" ZEST FOR JIFE ONLY NOW YOU D

MORE THAN JUST GLIDE ACROSS THE HILL, YOU'STRADDLE YOUR POLARI

SLED, AND TAKE THE TRUE RIDE OF YOUR (IFE YOU RIDE A TWISTING TRAIL

LIKE YOU'RE ON RAILS, BLAZE A NEW TRATLACROSS A SNOWY HIELD, OR FEEL

THE PRIDE OF LEAVING YOUR TRACKS ON THE SUMMIT, YOU RECADIUR


THOSE DAYS OF LIVING LIFE THE WAY IT SHOULD BE LIVED: UNGHARTED


UNINTERRUPTED AND ABSENT OF DAILY CONCERNS, AND YOU EMBRACE

THE FREE SPIRIT OF THE WAY OUT - OUR BATTLE CRY FOR ANYONE YEARNING

TO BREAK OUT OF A CHAOTIC WORLD AND INTO A BETTER STATE OF MIND.







Variable Exhaust (VES)







YOU DON'T BECOME THE #1 SELLING BRAND OF SNOWMOBILES BY



FAST®M:10 Rear Suspension

O. IT TAKES VISION, CREATIVITY, AND THE

TAKE PRIDE IN OUR

ILING BETTER THAT'S EVIDENT IN OUR


ABLE AND RELIABLE THAN EVER, MANY MODELS


JEL AND OIL ECONOMY: LAST SEASON

IGHTWEIGHT AND AWARD WINNING EDGE™ CHÀSSIS AND

UR PERFORMANCE MODELS, FOR 2002 WE'RE EXPANDING

IONAL TRAIL LUXURY MODELS.





WE'RE ALSO OFFERING THE LEGENDARY FASTO M-10 REAR SUSPENSION ON MORE MODELS.

BUT WHATEVER POLARIS SLED VOU CHOOSE, THE RIDE IS EXCEPTIONAL WITH ADJUSTMENT

FEATURES WHICH ALLOW YOU OR YOUR POLARIS DEALER TO TAILOR THE SUSPENSION TO

YOUR PREFERENCE: OUR HANDLING IS ALSO INDUSTRY LEADING WITH PREDICTABLE AND

EASY STEERING. WE ALSO UNDERSTAND THAT SNOWMOBILING COMFORT GOES BEYOND

SUSPENSION DESIGN AND SO WE BUILD MACHINES WITH FLATSLIDE CARRS FOR EASY

THROTTLE USE, ADJUSTABLE HANDLEBARS, WARM WINDSHIELDS, WIND DEFLECTING HOOD

DESIGNS, AND COMFORTABLE SEATS. FULL INSTRUMENTATION INCLUDING INDICATOR

LIGHTS AS WELL AS ELECTRIC START, REVERSE AND MIRRORS ARE STANDARD OR DRITONA

ON MOST MODELS, PLUS POLARIS CLOTHING COMBINES FASHION AND FUNCTIONA

2002 WE'VE ALSO EXPANDED THE USE OF OUR VARIABLE EXHAUST SYSTEM TO INCLUD

MANY MORE MODELS INCLUDING ALL OF OUR 600, 700 AND 800CC TWIN-CYLINDER ENGINES


Independent Front Suspension (IFS)


Look allke designs don't measure up to our EDGE!" front suspension Industry leading travel and razor sharp handling, due to its unique geometry and Controlled Roll Center (CRC) design for flater cornering and exceptional stability had American Snowmobile magazine to call the EDGE!" suspension move Polar's has made since trailing arm [FS]"



Our exclusive indy Select shock leatures:
a 300% range of compression adjustment at the furn of a serew allowing you to tallor the ride to your preference.







# THE ENSET NEAT OF ONE WAS AND AND THE STATE OF S

THESE MACHINES AREN'T MADE FOR

MAKE A POWERFUL STATEMENT ABOUT

MOBILING? THEN LOOK NO FURTHER, AWARD

LOOKING FOR THE BEST VALUES IN SNOW

EVERYBODY JUSTROWRIDERS WHO

YOUR PRIORITIES. POWER, LUXURY SUSPEN-

WINNING DESIGNS, ROCK SOLID RELIAB

HATE BEING SECOND LAST OR IN THE

SIONS, AND FEATURES SUCH AS STANDARD

ITY, COUPLED WITH FIRST-CLASS RIDE AND HANDLING RESULT IN MACHINES THAT

RATION OF COTAL DOMINATION.

MIDDUENERBERIENCETHEEXHILA

TO BECOME YOUR TRUE COMPANIONS.

REVERSE AND ELECTRIC START TEAM UP

BOREDOM PACK ITS BAGS AND S







PERFORMANCE

TRAIL SPORT


DDLE AND TAKE IN


WHERE DO SNOWMOBILERS COME

FROM? THEY'RE MADE, NOT BORN.

START THEM ON THE SNOW EARLY

FREEDOM FOR A LIFETIME





## HE HANDLEBARS

1 5 H T.




the Indy 800 XCR— smooth, unbridled power. It's the fastest 800 triple on snow thanks to its high-tech case reed engine design including triple pipes and variable exhaust. Race Remember your last flight? That feeling you got when the pilot hit the throttle and the G-force pushed you back in your seat? That's proven gas shocks are standard up front while a handlebar switch allows you to tune its electronic adjustable rear track shock on the fly via its 600% range of adjustment rather than a two position set-up on competitive designs. Other standard features include an electronic fuel gauge and the high visibility wrap around taillight that your friends will be viewing.



Since we gave the Indy 800 XC SP variable exhaust, it has two basic throttle positions—idle and gone. It has more performance

Sensitive rear track shock underneath. Up front, EDGETM has 10.3" of travel, with our Controlled Roll Center design and a wide 42.5" ski stance which are some of the reasons SuperTrax magazine called it "the best-handling Polaris ever." front suspension. The Indy 800 XC SP rides on our race-proven EDGE  $^{1M}$  chassis which gives you an industry leading 13.9" of rear axle travel and our exclusive Position throughout the powerband including a spectacular 12 horsepower gain at 6,000 RPM. Other new features include easier starting and new race proven gas shocks on the



In any group ride, somebody has to be first. It might as well be you. The Indy 700 XC SP is a natural leader as its new variable exhaust equipped 700cc case reed engine delivers an incredible eight horsepower increase. The standard fuel selector switch, digital CDI and water temp and throttle position sensors ensure the 700's durability matches its class leading performance while new carburation improves fuel economy and ease of starting. It all rides on our EDGE<sup>IM</sup>

chassis—famous for keeping vour center of gravity fow and vour spirits high 1 ike all XC SP's, the 700 is available in Indu Bad or BL.




In naming the Indy 600 XC SP their Sled of the Year, Snow Goer magazine called the 600 XC SP "The Perfect Sled." It couples the

6

S

engine with variable exhaust delivers improved fuel economy and reduced oil consumption. The liquid-cooled hydraulic brake is a Polaris exclusive, standard on all XC SP's. most powerful single pipe 600cc engine in the business with our best selling EDGETM chassis. Improving upon perfection is not easy, but for '02 the Indy 600's case reed



### N D Y 500 X C S P

The variable exhaust equipped Indy 500 XC SP also delivers class-leading performance. It leads the pack with our award winning EDGE<sup>TM</sup>

ground while turning. The fully-coupled rear suspension, our exclusive Position Sensitive rear track shock and Dual Angle Tunnel (DAT) combine to offer an unsurpassed ride. chassis with 10.3" of front travel supported by our new race proven aluminum bodied gas shocks and our Controlled Roll Center (CRC) design to keep more of the skis kissing the



No sled runs harder for the money than the Indy  $500\,\mathrm{XC}$ . It comes equipped with a host of premium features like composite skis,


chassis, our compression-adjustable Indy Select shocks up front, exclusive Position Sensitive rear track shock, fully-coupled rear suspension, and our case reed 500cc high output 120 watt halogen headlight, and stylish left hand control block with integrated multi-position hand and thumb warmer and headlight controls. The EDGE™


iron-lined engine with triple exhaust ports complete this high performance yet low cost sled.



No sled runs harder for the money than the Indy 500 XC. It comes equipped with a host of premium features like composite skis,


chassis, our compression-adjustable Indy Select shocks up front, exclusive Position Sensitive rear track shock, fully-coupled rear suspension, and our case reed 500cc iron-lined engine with triple exhaust ports complete this high performance yet low cost sled. high output 120 watt halogen headlight, and stylish left hand control block with integrated multi-position hand and thumb warmer and headlight controls. The EDGE<sup>IM</sup>





RAIL LUXUR


A B O U T A



### VDY 700 CLASSIC

suspension featuring our compression adjustable Indy Select shocks. Its rear suspension is now the legendary Fast® M-10—with its patented biased coupling, gas shocks, variable exhaust with an eight horsepower increase, better mileage and reduced sound at trail speeds. Also new on the Indy 700 Classic is the EDGE<sup>IM</sup> chassis and front Our Indy 700 Classic takes a commanding lead over every other Trail Luxury sled this year. Its 700 case reed engine now has

Advanced Ride Control and 14" of bone-resting rear end travel. Electric start, reverse, and an electronic fuel gauge complete this moving monument to nower and comfort




### NOY 700 CLASSIC

Our Indy 700 Classic takes a commanding lead over every other Trail Luxury sled this year. Its 700 case reed engine now has

suspension featuring our compression adjustable Indy Select shocks. Its rear suspension is now the legendary Fast® M-10-with its patented biased coupling, gas shocks, variable exhaust with an eight horsepower increase, better mileage and reduced sound at trail speeds. Also new on the Indy 700 Classic is the EDGE<sup>IM</sup> chassis and front

Advanced Ride Control and 14" of bone-resting rear end travel. Electric start, reverse, and an electronic fuel gauge complete this moving monument to power and comfort



The lighter weight Indy 600 Classic also has the most powerful engine in its class along with improved fuel economy at trail speeds

Fast® M-10 rear suspension with gas shocks—it allows the front and back of the rear suspension to react simultaneously to changes in the terrain. thanks to its new variable exhaust. Features like electric start, reverse, composite skis and an electronic fuel gauge are standard. The Indy 600 Classic travels on the renowned




than ever. The EDGE<sup>IM</sup> front suspension with our Controlled Roll Center design provides 10" of class leading suspension travel. The EDGE<sup>IM</sup> rear suspension comes complete Improving a classic is seldom easy but now in our EDGE<sup>TM</sup> chassis the liquid-cooled Indy 500 Classic's ride and handling are better

with our exclusive Position Sensitive gas shock which automatically adjusts to changing trail conditions. Popular returning features include electric start and reverse.

### INDY 550 CLASSI

There's one new sled every trail luxury rider should know about in 2002 – the Indy 550 Classic. Its improved and lightweight

550cc cylinder reed assist engine is the most powerful fan-cooled engine in the sport. The EDGETM rear suspension features our exclusive Indy Select rear track shock and industry leading travel. Adding to the comfort are features like electric start and reverse, our sound reduction package and a warm, comfortable riding position.





### N D Y 500

SnowGoer magazine proclaims that the Polaris Indy 500 "solidifies its role as the best value in snowmobiling." For 2002 it continues

to give premium sled features at an unbeatable price such as liquid cooling with responsive and easy-on-your-thumb flatslide carbs. The EDGE™ front suspension with 10" of travel, CRC and a wide 42.5" ski stance includes easily adjustable spring preload to allow you to tailor the ride to your preference. In back, the EDGETM rear suspension has

almost 14" of travel and our automatically adjusting Position Sensitive gas shock,



### NUY SUPERSPORT

durable than ever. The lightweight EDGE!M chassis includes a high output 120-watt headlight, sound reduction package and a It's a guaranteed rush. The Indy Super Sport's 550 is the largest fan-cooled power plant in snowmobil

id comfortable rider seat position. The EDGE™ rear suspension features our Indy Select rear track shock which lets you easily tune the nearly 14" of rear suspension. The EDGEIM front suspension, with its Controlled Roll Center design

Ayallable in Sonic Blue as the 550 Classic. and wide ski stance means precise handling. Is it any wonder that the Indy Super S



### 40 PRO X FAN

Show Cross Jantasy anyone? The Indy 440 Pro X Fañ Is race ready with its hi-output 440-cylinder reed assist engine and our Pro X

th shocks and springs calibrated for competitive snow cross riding including an external compression adjustable rear track gas shock and our EDGEIM racifig seat. Other nassis, which includes our Controlled Roll Center design up front to grab harder in the corners, and new race proven aluminum bodied gas shocks. It sports a fear suspension


tandard features include tunnel wear strip profectors, hood screens, composite skis and racer styled handlebars and



carb fan-cooled machine is the lowest-cost, fully-teatured sted in its class. It sooots with a great stable filde and comes standard with electric start, E-Z steer carb Our smallest machine in the Trail Sport line is the Indy 340 Deluxe, It's also one of our biggest values. This 340cc dual

hand and thumb warmers, hood screens, low oil light, a 5" speedometer, a torsion bar and a wide 41" ski stance for great handling. The XTRA-Lite rear st

gives you a full 10" of travel.



DEEP SNOW

F A F A S

RELATIONS

ALWAYSHAPPEN



Sled of the Year the last two seasons by Sno West magazine, the 800 RMK now features our EDGETM chassis with almost 18" of rear travel and improved handling. Last year our 800 RMK was 43 pounds lighter than the Arctic Cat Mountain Cat 800114 and for '02 the EDGE114 chassis makes the 800 RMK even more dominant with a choice of 144" or 151" tracks. Also new this year is variable exhaust which improves engine performance throughout the power band including an amazing 12 horsepower gain in the mid-range. With Once you go to the top on an Indy 800 Rocky Mountain King (RMK), you never come all the way down. With a history including being named www.com.com.heals.and.a.bost.of.mountain.riding.features.the.800.RMK.will.make.vou.the.undisputed.king.of.hjgh.plage

has given it an increase of eight horsepower. Our EDGE<sup>IM</sup> chassis and specially designed EDGE<sup>IM</sup> RMK deep snow rear suspension puts you on top of the snow and keeps you there. This legendary mountaineer has climbed more mountains than any sled around. And this year, it's ready to climb even higher. Variable exhaust


The Indy 700 RMK, like many of our deep snow models includes a mountain bar, handlebar hooks, tunnel roll gripper with an integrated and patented de-icer cooling system, adjustable ski stance from 39.5" to 41" and our exclusive side hiller composite skis which are wider on the inside edge for improved flotation yet add to the ease of side hilling. Available with a

144 x 2" or 136 x 1,75" track.




### N D Y 600 RMK

of our mountain machine features, including adjustable rear suspension tunnel mounting positions for changing riding conditions, the Indy 600 RMK puts you on top of the world. chassis and EDGEIM RMK deep snow rear suspension this year with a compression adjustable Indy Select rear track shock and almost 14" of rear travel. With its 136" track and all has digital CDI, a Throttle Position Sensor, a fuel selector switch and 38mm flatslide carbs to give it a quicker throttle response and rock solid reliability. It has the new EDGETM The Indy 600 RMK soars with a new variable exhaust engine that's nine pounds lighter and has seven more horsepower. The Indy 600 RMK



#### INDY SOO RWE

with our Gen II chassis and our 136 x 1.5" deep lug track. It comes standard with a lot of features found on bigger machines like CRC, an Indy Select compression adjustable The Indy 500 RMK is equally at home in the mountains or in snow covered fields. Its liquid cooled case reed 500cc engine is paired rear track shock, flatslide carburetors, running board and tunnel roll boot grips and a rolled chaincase for a lower center of gravity.



## NOY TRAIL RMK

fan cooled power plant so that it takes its 550cc's of power to the powder better than ever before. Standard equipment includes our altitude compensating carbs (ACCS), Gen II The Indy Trail RMK is the lightest deep snow machine in its class. For 2002 we've made a number of improvements to the industry's largest


chassis, and our XTRA-10 front suspension featuring 8.25" of travel. In back, our XTRA-Lite rear suspension with 12" of travel is wrapped around a versatile 136 x 1.25" deep lug track


#### S N S U U L A U N I

With its 136 x 1.25" deep lug track, the Indy 700 SKS performs as well on the trail as it does in the powder. This year it has variable exhaust

with eight more horsepower and better fuel economy at trail speeds. We've also given it new 40mm flatslide carbs, a fuel selector switch and a Throttle Position Sensor (TPS)


which further enhances the sled's already legendary durability. The suspensions include our flat cornering CRC design with a 42.5" ski stance and almost 10" of travel front and rear.







exhaust and its liquid-cooled 600cc case reed engine. The XTRA-12 front and rear suspensions deliver the best two-up ride available and are designed to allow the ride to be tailored for one or two-up riding. It comes standard with electric start and new electronic reverse. Other comforts include our Deluxe Touring Package with single iever, infinitely adjustable plush backrest, heated adjustable passenger grips with wind deflectors, extra wide passenger footrest area, an oversized rear storage area and



shocks provide a 300% range of adjustment at the turn of a screw. In 2002, the Indy 500 Classic Touring continues to feature our Deluxe Touring Package along with electric quick throttle response and provides easier throttle operation. The XTRA-12 suspensions offer 10" of front travel and 12" of plush rear suspension travel plus the Indy Select The Indy 500 Classic Touring is a long time family favorite. The legendary 500cc liquid-cooled twin with flatslide carbs gives it

start and reverse, mirrors, composite skis, E-Z steer carbide ski runners and an accessory power plug in.



# TRAIL TOURING

Back by popular demand! The Gen II style Indy Trail Touring carries our improved 550cc power plant — the largest fan-cooled engine

along with electric start and reverse, mirrors, and E-Z steer carbide ski runners make for an exciting getaway, in snowmobiling. It also has our XTRA-10 front and rear suspensions with 11.5" of rear travel and an adjustable Indy Select rear track shock. The Deluxe Touring Package,

### SPORT TOURING

Independent fleet operators run Polaris snowmobiles more than any other brand. Their business depends on offering their customers


the best riding experience available. The Indy Sport Touring with its outstanding reliability is often their choice. Powered by our improved 550cc fan-cooled twin engine,

the Sport Touring features XTRA-10 front and rear suspensions with our exclusive compression adjustable Indy Select rear track shock, reverse and a rear cargo rack.



A lot of riders know the Indy 340 Touring as the best entry-level touring machine on the trail. Some call it a great utility sled. The truth

torsion bar and 11" of rear travel. It grips the trails with a 133.5" track with a 1" lug. is, they're both right. The Indy 340 Touring is equipped with a two-up seat, adjustable backrest, a standard rear cargo rack, hood screens, low oil light, hand and thumb warmers,




#### MIRETRAK I


When there's work to be done, you will still have fun with the Gen II style Indy Wide Trak LX. It works and plays harder than ever in

2002 with a new coupled rear suspension for even more pulling power and improved handling. It comes standard with wide 8.5" ski skins for great deep snow floatation,

generous under seat storage compartment, standard rear cargo rack, electric start, reverse, beefy hi/lo range transmission, tow hitch, 156 x 20" track and our legendary

500cc liquid-cooled engine.







#### POLARIS TECHNICAL DATA

					を記れている							泛法派																		SOUTH BY							T. Market						
HAID SKSHAR (SPS. WAY AND		BACKES!	SM	HUMUNHT (Type Highy Low Worts)	Micros	TOTA OUT THE STATE OF THE STATE	EFECURIC TENNAGRATIONS CHINCS	TEMPERATURE LIGHT	FIELDS, EAST CARC	FUTL GNUCE		SPEEDOMETER .	HAND/THURSHAWARKS	KAKA	HEGEK SIMI	Features	TRACK (VI x ( x (ug) (in)	FROM SHOCK/TEAR SHOCK	TRAVIL (ay/on)	INF.	PEAR BAX	SATRUMER	37700	IFS SHOCK/SPRING ADJ.	IRANI (n/m)	TYPE	Suspension		PARTING BANK	S BOTHE CARRETT	C INDUCION TYPE	SMIKE	Kulnor	Engine/Drive Train		LINET COSPUTATION CONTIN	HASHI (in/cm)	SOLCENTER (m//m)	ANATOMIA (MDBN (m/cm)	ONESALL LENGTH (In/cm)	SI SSLDRY WENGER (cocycle Arts)	Dimensions/Capacities	
N/A	Gen 113/2015/hrad	M(essory/11/A	Alid Sudyted	Hebgen 100/60	Accessory	Stondard	W/W	Stondard	Standard	Electric	Slondard 5*	Standard S*	Stordard Adjustable	Accessory	II/A		15x 121 x.91	Ryde EX®/Tecnonic	10.2/25.9	XIBA-10	Standard	(abide	Composite	Ryde CX® RP Gos/Theb	10/25.4	XC-10, OK			Standard	Palest Hab IT	(one Regd	485, Tighte Pipe	Bight (BI	70177107		11.8/447	45/1143	425/108	48/121.9	109/2769	6an	-	800 XCR
W	FDG 15/38 1 Rawl	Acesory/Acresory	FDCF	Bologes 120/110	Accessory	Standard	Accessory	Standard	Acressory	Hadorid	Standard 5*	Stordard 5	Standard Adjustable	Accessory	Accessory		15 x 121 x 1.0	Rydo FX Sup / Tox os FTS	13.9/35.3	Ē	Shridanë	(chide	Pisoduay	Ryde FX® IFP Gos/Thrif	10.3/76.2	EDGE, CRC			Stondard Stondard IX	Ca/w new 7	Cosa Reed	WS, Single	Polyf (D)	704 M 1		11.8/4.7	48/121.9	(2.5/108	48/121.9	0.087/611	484/725.4		800 XC SP
H/W	2002 187/38 1 Shoot	httessory/httessory	1002	Kalogen 120/110	hitesory	Standard	Accessory	Stondard	Accessory	Methorical .	Stoodned 5"	Standard S*	Standard Adjustable	Accessory	Коезолу		15x 121 x 1.0	Nyde 1X2 11P/Tox © 1TS	139/353	ing.	Stondard	Cubide	Composits	Ryde FK® HP Gos/Thid	10.3/26.2	EDGE, CRE			Shandard	ZI/WOWIZ	(ose Reed	WS, Single	tal) paléga palya z /voz	700 % 17-13		11.8/44.7	48/121.9	42.5/108	48/1219	110/200	198773C 0		700 XC SP
II/A	107 H 107 H 107 H	Acessory/Accessory	FDGE	Hologen 120/110	Acessory	Standard	Kessory	Stordard	Accessory	Medonical	Standard 5	Standard 5"	Standard Adjustable	Accessory	hosson			ž	13.9/35.3	F6.	Slanderd	Catide	Correction	Ryde FX S #P Cos/Thd	10.3/26.2	1006, CRC			Standard	CII/Magnini	Cosa Reed	W.S. Single	M) pirfig Balbi 2 /250	100,000		11.8/44.7	48/121.9	25/108	48/121.9	113/2870	3 <b>6</b> (C/ 787		600 XC SP
W/N		Yessey		t6cgen 120/110	Acressory	Standard	Acessory	Sluxdord	Mussory	Redorical	Shadad 5"	Standard 5"	Shandard Adjustable	Accessory	Аовзелу		15 x 121 x .91	Syde XX 4 February 18 Carlo	139/353	locs.	Standard	(abida	Composito	Ryde FX® IFP Got/Thed	10.3/26.2	EDGE, CRC			Standard	2 1/438 w/ IFS	Case Reed	VES, Single	Mobil Z/Onc			11.8/44.7	48/1219	425/109	49/1219	184/219.5	500		500 XC 5P
W/A	M/A	Accessary/Accessary	. E	Hubogoo 120/110	hassory	Standard	Accessory	Significant	Accessory	Mechanical	Standard S*	Standard 5"	Standard Arijuskihle	Auessory	Accessory		15 x 121 x .82	Mary Fox 67 PX	139/362	TOTAL COLUMN	Stondard	Corbide	Composite	Selort/Throadad	10/25.4	EDGE, CRC			Simpland	7 11438	Cose Reed	Sing-	Digital COF			118/417	4R/1719	405 / 108	0 161/3P (1/97/PH	113/2077	1001	204 30	X00 YC
EDGE 43/30.1 FIXED	N/A	ktessory/ktessory	EDGE	Hotogen 120/110	Std., Not installed	Standard .	Acessory	Standard	Stordard	Electric	Spanned S	Standard 5"	Standard Adjustable	Standard	Standard		15 x 121 x 1.0	fax@/fex@w/kex	135/1	TICIN ILIO	Standard	[-] Steer Carbide	Composite	Select/Threaded	10/25.4	106F OX			Slondord	2 DMO W/PS	Coso Reed	YES, Single	Doint Col			11.8/4.0	19/1210	40/1/20	113/28/JJ	521/235.3	5000	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	700
13/38.1 ADRIG	II/A	Acesory/Acesory	DQ.	Hologen 120/110	Sai, Har Installed	Strobal	Kressory	Standard	Shadad	Exit.	Standard 5*	Standard 5"	Stoodard Adjustable	Slandard	Slandord		15 x 171 x 1.0	for@/for@#/Res	14/2C4	6 CT 20 II 10	Standard	E-Z Steer Coubido	Composite	Select/Threated	10/25.4	100£ CRC			Shindond R.	2 1/k38 w/IFS	(true Reed	VES, Single	600/2 tique			11.8/44.2	4E/1310	40/121.3	0.487/514	311/231.8	10GF	******	600
EUGE PD/38.1 PEOPS	W/A	kieson/kieson	(ba	Hotogen 120/110	Std., Not historied	Standard	Accessory	Standard	Standard		Messon	Standard 5	Sundard Adjustable	Stondard	papas		15 x 121 x .82	Tags/101の元	130/102	Š	Stondard	(obide	(omposite	l'ittes/Throoded	H0/25.4	EDGI FRY		;	Standard Standard	71#38	Fiston Port	Sigle	(88/2 Equid		į	118/417	16.3/100	134/100	H3/28/.0	486/7784	1001	CERPSIT	500
100x 15/38.1 Hored	IÇA	Autory/Autosory	£06£	Rabge: 120/110	Sid. Not Installed	Sandri	\$	<b>.</b>	Acurson	llatori d	Accessor	Stundard 5"	Standard Anjustrative	Standard	Papas		15 x 121 x .82	they/select	2000		Standard	Corbido	(ocposite	liter/Ilreaded	10/75.4	ins (ex			Standard Standard	2 WHISHSS	Cylindar Reed Assist	žį.	94/2 For			118/487	0 151/07	10/1213	0.787/211	485/219.9	1001	CERT	550
100 13/38.11 total 100 10/38.11 total 100 15/38.11 total 100 15/38.11 total 100 15/38.11 total 100 15/38.11 total	N/A	httessay/httessary	EDG.	Hotogen 120/310	Accessory	Should Told	<b>1</b>	1/1	Accessors	Hedorica	Accessor	Standard 5"	Stradard Advistable	hioson	Arrespor		15 x 121 x .82	lan/Sakri			Standard	F I Steen Coubide	Sicel	liner/Threaded	10/25.4	INS ON		į	Standard HPB	2 YALDASS	(Vinder Reed Assist	ğ.	54/2fm			11.8/44.7	001/034	43/1/17	113/287.0	465/210.9	2	JAPER STURI	
606£ 15/38.1 Flored	N/A	kussn//kussor/	DQ.	Habogon 120/110	horon	Shorted	bioson.	Smithal	Arcasson .	theduning	ACRES ON A	Standard 5"	Standard Adjuvable	kressor	discours.		15 x 121 x .82	13.7/33.3	1903	ľ	Sondari	E-2 Sloer Carbido	£.	Hiner/Ihended	19/75.4	tor car			Street HTS	21/438	liston fact		68/7 Liquid		Control form	SIL SOCIETION	901/014	10/121.9	113/28/0 3 3 3 111/	465/210.9		006 168	
1001	₹.	Acesory),	(DC)	Haboen II	July 1	ĵ.	5 4	# S	Argon Carlo	7	Î	Stande		<b>%</b> ?	5		15 x 121	MARKET NO.		;	Stor	€ :	(e)	nde IXe I	- A	B., VD,		į	€ ₹	24	(yinder)	्र इ.	- <b>138</b> /		, may	े इ.हे	5	•		13/	70	2	107

Sept Classic FPORT TRAIL 340 WIDERBAK   TOURING TOURING LX	255 S S S S S S S S S S S S S S S S S S		
Sulfate   Cart   Cart   Sulfate	Geo II 115/292.1 115/292.1 115/292.1 115/292.1 11.8/44.7		6m1 Gm18 46/7037 26/7235 1116/7916 116/2916 435/7103 46/7103 39/785 45/7103 45/7103 46/7103 45/7103 46/7103 45/7103 46/7103 45/7103 46/7103 45/7103 46/7103 45/7103 46/7103 45/7103 46/7103 11.8/447 11.8
13,772.11   13,7	115/2921 48/121.9 42.5/103 42.5/103 11.8/44.7 11.8/44.7 11.8/44.7 11.8/4/17 11.8/4/17 11.8/4/17 11.8/4/17 11.8/4/17 11.8/4/17 11.8/4/17 11.8/4/17		116,7916 (85,7103 (85
48,7113 44,7181 44,7181 43,7181 43,7115 45,71165 45,71165 45,71165 45,71165 45,71165 45,71165 45,71165 45,71165 45,71165 45,71165 45,71165 47,7116 47,	9/121.9 12/108 12/103.1 18/44.7 15/50/6 Col. 10/7115/3 15/50/6 Col. 10/7115/3 16/60/6 Col. 10/715/3 16/60/6 Co		483/7105 48/7219 38/785 48/7219 48/71143 118/447 118/47 118/44
118/44	2,7 lbs 5,7/12.3 7,7 lbpd 5,5/80gb 10 lbpd 10 lbd 10 lbdd 10 l		447114.3 457114.3 118,744.7 118,744.
11.8/44.7   11.8/44.7   11.8/44.7   8.8/29.3   17.45.4	8,44.7 Zitad 72 itad 5. Single 88 w,715 58 W,15 motord		11.8/41.7 11.8/41.7 11.8/41.7 11.8/41.7 11.8/41.7 11.8/41.7 10.8/4
1897   1949   544/2   547   547   154	72 lepid raf Con Swy/ThS 8 w/ThS shoot		S44/2 Em 100/7 Equil  On Digad (OI  Style (15) Style  (Secte Red Jass) Cos Red  2 MASS, MCS 2 1840 w/75  Pakes HPB Pain (10, 00  Sundod Sundod  Sundod Sundod  Gasposie Contact  Coddo Cantor  Sundod MRA-10 188
Single   Std/21 from   Std/2	2 Lipid Sayle Sayle Bw/IPS Gw/IPS adod		SHAZIOn 700/Z tiqued CO Seeph (Seeph 200 Seeph (Con Red Z WASHS), ACC 2 Red On World File Februal Hill Probe Hill (Seeph 200 Seeph 200 S
Single   S	al COI Single Bw/TIS MPB, LC		Surger (15) Surger
Prince   P	Freed 6 w/TPS 18179, LC socked		Cybride Rood Rossi Coss Rood 2 WAZOSS, ACCS 2 THATO W/TS Pubes HTB Surdand Surdand XILIA XI.I.O. (20 ROSS/21 9.5/214 Rest./Thropded Composite Composite Codobs Carbon Surdand Surdand Surdand Surdand ARRO-Inter 3 Surdand ARRO-Inter 3 Surdand ARRO-Inter 3 Surdand
2 1838	6 w/TPS 1819, LC seckari		Surdays, ACS 2 TH40 w/PS Pekris HPB Pekris HPB (C Sundor) Shardord Shardord XIUA, XICHI, CRC XIUA, XICHI, CRC KITA, XICHI, CRC KITA, ACHI, CRC Coptosin Control Coptosin Control Surdard Surdard XIOA-10 138
Nois 189   Paint   Starchel   N/A	indeed in the second		Starbyd Sharbard Sharbard Sharbard Sharbard Sharbard Sharbard Sharbard Garbode Garbode Garbode Garbode Sharbard
10/754   91/744   91/745   71/13   712/184   72/784   71/745   7			XIIA, XI-II, CRC B.25/21- 8-6/24-4 Bear/Unexcled Gespoole
10/75.4   9.1/24.6   9.1/24.6   7.1/24.6   7.1/24.6   7.1/24.6   7.1/24.6   7.1/24.6   7.1/24.6   7.1/24.6   7.1/24.6   7.1/24.6   7.1/24.6   7.1/24.6   7.1/24.6   7.1/24.6   7.1/24.6   7.1/24.6   7.2/18.4			XIIA, XI-10,CRC 8.25/21- 8-6/24.4  Pext/linedood Sent/fileoted (supposite Composite Corbote Control Surched Sanched (2009-1838)
10,724   91,714   92,724   71179   725/184   5460/Thrould   18191/Thrould	A. CRC		8.25/21 8.6/244  Bray/Incoded Sets/filocoded (ontroded Controded Controded Controded Controded Secretary Secretary Secretary MIRA-10 138
Sakot/Tronded         Nitrar/Thronded         Nitrar/Thronded         Nitrary/Thronded	1.14.79.4		Herry/Incoded Select/Incoded (enposite Composite Condos Cablos Cablos Sandral Sandral MIRA-10 188
Composite   Short   Conice   Short   Conice   Short   Conice   Short   Conice   Short   Conice   Short   Sho	select/Threaded	<u> </u>	Corpose Companie Companie Companie Companie Combine Combine Combine Combine Combine Companie
Sanchard	moosie See Control		Storbing School Storbing Storb
12/30.5   45/24.1   115/29.2   11/219   95/24.1     2540/5464	ondard		XIBA-174 136 XIBA-10 138
12/20.5   9.5/74.1   11.5/29.2   11/27.9   9.5/74.    5.544/74.1   11.5/29.2   11/27.9   9.5/74.    15.133.5 x 22   15.133.5 x 22   15.133.5 x 10   15.133.5	TA 12		
Sket   Mary Sect   Mary Sect   Mary Sect   Mary Mary     Sket   Mary Sect   Mary Sect   Mary Mary     Sket   Mary Sect   Mary Sect   Mary Mary     Sket   Sket   Mary Sect   Mary Sect     Sket   Sket   Sket   Sket   Sket     Sket   Sket   Sket   Sket     Sket   Sket   Sket   Sket     Sket   Sket   Sket   Sket   Sket     Sket   Sket   Sket   Sket     Sket   Sket   Sket   Sket     Sket   Sket   Sket   Sket     Sket   Sket   Sket   Sket   Sket     Sket   Sket   Sket   Sket   Sket     Sket   Sket   Sket   Sket   Sket   Sket     Sket   Sket   Sket   Sket   Sket   Sket   Sket     Sket   S	12/30.5		12/30.5 1.5/24.1
Standard Aurescop Standard Kneescoy Standard Standard Standard Agestube Standard Agestube Standard Standard Standard Standard Agestube Standard Standard Standard Standard Agestube Standard Standard Standard Standard Standard Agestube Standard Acrescop Acrescop Kneescop Acrescop Research Standard Macroscop Michael Mechanical Reclaims Standard Macroscop Michael Standard Michael Standard Kneescop Standard Standard Standard Macroscop Agentscop Reference Standard Macroscop Standard Standard Standard Macroscop Reference Standard Macroscop Standard Standard Standard Macroscop Reference Standard Macroscop Standard Standard Macroscop Reference	Pyde 474/546cd 15 x 133.5 x .87		
Storded         Alexsory         Storded         <			
Second   Second   Second   Messay   Sufficients	Standord		. Acresory Accessory
Standon! 5*         Acressory 6*         Recessory 7*	Sel/lectic Southed Adjusteble		-5
Accessory         Accessory <t< td=""><td>Stondard 5"</td><td></td><td>Standard 5" Standard 5"</td></t<>	Stondard 5"		Standard 5" Standard 5"
Decisic         Abertrand         Microbiol         Acessory         N/A         N/A           Standed         Acessory         N/A         N/A         N/A         N/A           Acersory         N/A         N/A         N/A         N/A         N/A           Stonded         Stonded         Stonded         Stonded         Stonded         Stonded           Stonded         Acersory         Stonded         Stonded         Stonded         Stonded           Modern 100/40         Inkogen 100/40         Hobogen 15/40         Hobogen 100/40	Standard 5*		Slandard 5. Skondard 5.
Strandor	Unoffic	Averbandal	
Acutosoy         V/A         N/A         N/A         N/A           Storded         Storded         Storded         Storded         Storded           Storded         Keessoy         Storded         Keessoy         Retexor           Hologen 100/60         Hologen 100/60         Hologen 100/60         Hologen 100/60	Structural	_	H/A Standard
Sender Sender Stander Stander Sender Sender Sender Sender Metesory Stander Metesory Metesory Halogan 100/60 Hal	Auestory		H/A Accessory
Month Accessor Somme Accessor Accessor Hadron 100/400 Hadron 75/400 Education 100/600 Hadron 75/400 Education 100/600	Storded		Standard Standard
	Motoda 100/69		- 9
Delate 2-16 2-16 Delate 2-16 340 2-16 2-16 ps/Andread study 120 ACS	Dohna 24p		Gen if Sol. Long length
kressory/kressory Stadord/kressory kressory/kressory Starbod/Starbod Starbod/Starbod	Atersory/Atressory		esory kensory/kensory heasony/kensory
AG SAL, SOUN LEAR AG STATOON AGUSTON SAL, STOPE LEAR AG STATOON AGUSTON R/A CON 177.43.75 SAN 177.43.2 Gan B 72.43.2 Gan B 72.40.8 Gan B 72.40.8 Binad	SM. Single lever Ad. Gen II 177/43 2 Hand		1
Stocker with the NA NA NA NA NA	Sondard	(/A	N/A N/A



The Way Out starts here.


PURE Polaris parts, apparel and accessor is taking the ride experience to a new level. PURE Polaris parts and accessor provide superior performance and reliability and PURE Polaris appared others the superior performance and clearing and PURE Polaris appared others the superior category at your local polaris the superior of the polaris that is a polarised to the polarised of the polari



Affordability. The Easy Way.
Polaris Star Card provides you the freedon and access to THE WAY OUT for on the sp. Ilnancing on your Polaris snowmobile, Pur. Polaris Apparel and Accessorias, an more. See your dealer for details or visit www.polaristindustries.com.

POLARISTAR

The state of the s



FOR ADVANCED ENGINEERING, ALL-TERRAIN VEHICLES FOLLOWED IN 1985, AND SINCE THEIR INTRODUCTION HAVE SET THE NEW CLASS OF OFFICE UTLITY VEHICLES IN 1998 WE BYOU OUT THERE, THEY OFFER YOU A WAY UTINE, AN ESCAPE FROM THE STANDARD FOR PERFORMANCE AND INNOVATION, 1992 SAW N 1997, THE POLARIS RANGER WAS BORN, CREATING A WHOLE ORIES DESIGNED TO MATCH OUR NTRODUCED VICTORY MOTORCYCLES AND CYCLE WOR HAN ANYTHING OFF THE SHELF, AND A EU TEM "BEST CRUISER"; IN 1999 MO AREL AND COLLECTIBLES TO STY THE ARRIVAL OF

50 YEARS, POLARIS HAS BEEN MAKING MACHINES

Customize your sled on our new Web site: www.polarisindustries.com



For your nearest Polaris dealer, call 1-800-POLARIS.

Polaris Sales Inc., 2100 Highway 55, Medina, MN 55340

(763) 542-0500 Fax (763) 542-0599

©2001 Polaris Sales Inc. Printed in the U.S.A. Part #9917308